

SAFETY DATA SHEET FORTICOAT DTM

SECTION 1. IDENTIFICATION

Product Name Forticoat DTM

Chemical Family Water-based Acrylic Coating

Recommended Use/Restrictions Protective coating for Metal

Manufacturer FortiSystems

16601 Central Green Blvd., Suite 100

Houston, TX 77032

24-Hour Emergency Phone 832.922.2926

Information Only 833.840.2777

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation: May cause serious eye irritation

Skin sensitization: May cause skin irritation, allergic skin reaction

GHS Label Elements

Hazard pictograms:

Signal word: Warning

Hazard statements: May cause an allergic skin reaction.

Causes serious eye irritation.

Toxic to aquatic life with long lasting effects

Precautionary statements: **Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood

Avoid breathing dust, mist, gas, vapors or spray. Wash skin and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace Wear permeation resistant protective gloves and clothing. Wear eye

and face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical attention.

Storage:

Material Name: Forticoat DTM	Page 1 of 7	SDS Version 1.1
------------------------------	-------------	-----------------

Store locked up.

Disposal:

Dispose of contents and container in accordance with existing federal, state, and local environmental control laws.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components

<u>Weight</u> Percent	Components	CAS-No.	Classification
10 - 25%	Zinc Phosphate	0007779-90-0	Aquatic Acute/Chronic
0.1 – 1.0%	2-N-octyl-4-isothiazoline-3-one	0026530-20-1	Skin Sensitization Acute toxicity Aquatic Acute/Chronic

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

Most Important Symptom(s)/Effect(s)

Acute: Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning. May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash.

Eye Contact

In case of contact, flush eyes with plenty of lukewarm water for at least 15 minutes. Get medical attention if irritation develops.

Skin Contact

In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Inhalation

If inhaled, remove to fresh air. Get medical attention if irritation develops.

Ingestion

If ingested, give 2 glasses of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention. Never give anything by mouth to an unconscious person.

SECTION 5. FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water, carbon dioxide, foam or dry powder

Unsuitable Extinguishing Media No Data Available

Fire Fighting Procedure

Firefighters should be equipped with self-contained breathing apparatus to protect against normal combustion products and/or oxygen deficiency.

Hazardous Decomposition Products

Acrylic monomers

Avoid breathing dust/fumes/ gas/mist/vapors/spray

Material Name: Forticoat DTM	Page 2 of 7	SDS Version 1.1
------------------------------	-------------	-----------------

SECTION 6. ACCIDENTAL RELEASE MEASURES

Spill and Leak Procedures

Cleanup personnel must use appropriate personal protective equipment. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal.

SECTION 7. HANDLING AND STORAGE

Handling/Storage Precautions

Protect from freezing.

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No known incompatible materials for this product.

Recommended storage range is 45 - 90°F.

Keep container tightly closed.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	CAS-No.	Source	<u>Value</u>
Zinc Phosphate	0007779-90-0	OSHA ACGIH NIOSH	No Established Limit No Established Limit No Established Limit
2-N-octyl-4-isothiazoline-3-one	0026530-20-1	OSHA ACGIH NIOSH	No Established Limit No Established Limit No Established Limit

Components	CAS-No.	Source	Value
Zinc Phosphate	0007779-90-0	OSHA NTP IARC	Select Carcinogen: No Known: No; Suspected: No Group 1: No; Group 2a: No Group 2b: No; Group 4: No
2-N-octyl-4-isothiazoline-3-one	0026530-20-1	OSHA NTP IARC	Select Carcinogen: No Known: No; Suspected: No Group 1: No; Group 2a: No Group 2b: No; Group 4: No

Industrial Hygiene/Ventilation Measures

General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines.

Respiratory Protection

In case of insufficient ventilation or exposure to concentrations above the exposure limit, wear suitable respiratory equipment.

Hand Protection

Permeation resistant gloves

Eye Protection

Splash proof goggles.

Skin Protection

Wear cloth work clothing including long pants and long-sleeved shirts.

Additional Protective Measures

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Promptly remove soiled clothing and wash thoroughly before reuse. Emergency showers and eye wash stations should be available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

State of Matter: liquid Color: Various Odor: Not

specified

Odor Threshold: No Data Available pH: No Data Available

Freezing Point:0 °C (32 °F) similar to water **Boiling Point:**100 °C (212 °F) similar to water

Flash Point: Non-combustible Evaporation Rate: Less than 1 (n-BuAc=1)

Flammability (solid, gas)

Lower Explosion Limit:

Upper Explosion Limit:

Not applicable

Not applicable

Vapor Pressure: >1

Vapor Density:No Data AvailableSpecific Gravity:No Data Available

Solubility in Water:

Partition Coefficient: n-octanol/water:

Auto-ignition Temperature:

Decomposition Temperature:

Viscosity:

VOC Content

Dispersible

Not Measured

Not applicable

No Data Available

500 – 1100 cps

< 35 g/liter

Density 8.8 – 9.2 pounds per gallon **Volatile** 66 – 70% (by volume)

SECTION 10. STABILITY AND REACTIVITY

Hazardous Reactions

Hazardous polymerization does not occur.

Stability

Stable under normal circumstances

Materials to Avoid

None known

Hazardous Decomposition Products

Acrylic monomers

Incompatible Materials

None known

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Zinc phosphate - (7779-90-0)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
2-N-octyl-4-isothiazoline-3-one - (26530-20-1)	550.00, Rat - Category: 4	690.00, Rabbit - Category: 3	No data available	0.27, Rat - Category: 2	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Very toxic to aquatic life with long lasting effects. No additional information provided for this product.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/I	ErC50 algae, mg/l
Zinc phosphate - (7779-90-0)	0.09, Oncorhynchus mykiss	0.04, Daphnia magna	0.136 (72 hr), Selenastrum capricornutum
2-N-octyl-4-isothiazoline-3-one - (26530-20-1)	0.0555, Oncorhynchus mykiss	0.18, Daphnia magna	0.084 (72 hr), Scenedesmus subspicatus

Persistence and degradability

There is no data available on the preparation itself

Bioaccumulative potential

Not Measured

Mobility in soil

No data available

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

Container Precautions

Recondition or dispose of empty container in accordance with governmental regulations. Do not reuse empty container without proper cleaning.

SECTION 14. TRANSPORT INFORMATION

DOT (Domestic Surface	IMO / IMDG (Ocean	ICAO/IATA
	T	

Transportation) Transportation)

UN numberNot ApplicableNot RegulatedNot RegulatedUN proper shipping nameNot RegulatedNot RegulatedNot Regulated

Transport hazard class(es) DOT Hazard Class: Not IMDG: Not Applicable Air Class: Not Applicable

Applicable Sub Class: Not Applicable

 Packing group
 Not Applicable
 Not Applicable
 Not Applicable

Environmental hazards

IMDG Marine Pollutant: Yes (Zinc phosphate)

Special precautions for user

No further information

SECTION 15. REGULATORY INFORMATION

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are

represented.

Toxic Substance Control All components of this material are either listed or exempt from listing on the TSCA Inventory.

Act (TSCA)

WHMIS Classification D2B

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes
Delayed (Chronic): No

Material Name: Forticoat DTM	Page 6 of 7	SDS Version 1.1
------------------------------	-------------	-----------------

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Zinc phosphate

Proposition 65 - Carcinogens (>0.0%):

Benzophenone

Titanium dioxide

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SECTION 16. OTHER INFORMATION

The method of hazard communication for Everest Systems, LLC is comprised of Product Labels and Safety Data Sheets.

Contact: Product Safety Department

Telephone: 832.922.2926 Version Date: 06/01/2015

SDS Version: 1.1

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Everest Systems, LLC. The information in this SDS relates only to the specific material designated herein. Everest Systems, LLC assumes no legal responsibility for use of or reliance upon the information in this SDS.